


Associations with Substance Use

	Alcohol ¹	Marijuana ¹	Tobacco	Cocaine	Poppers	Other
	PR	PR	PR	PR	PR	PR
Intercept	0.88	0.68	0.56	0.18	0.30	0.35
Stress Events Total	1.05	1.08	1.16	1.33	1.33	1.31
Stress Events Severity	0.98	1.02	1.13	0.89	1.00	0.92
Sexualized R.	0.97	1.01	1.06	1.01	1.05	0.88
Institutional R.	1.02	1.01	0.79	0.86	0.86	1.07
Harassment H.	0.98	0.93	1.09	0.87	0.96	1.13
Shaming H.	1.00	0.92	0.84	0.98	0.87	0.92
Stress Total*Black			0.79	0.85	0.74	0.90
Stress Total*Mixed			0.94	1.37	0.74	1.02
Stress Severity*Black			0.84	0.90	1.00	0.89
Stress Severity*Mixed			0.71	0.90	0.85	0.88
Sexualized*Black			0.90	1.11	1.92	1.24
Sexualized*Mixed			0.89	0.80	1.21	1.28
Institutional*Black			1.31	1.45	0.67	0.97
Institutional*Mixed			1.38	1.09	1.08	0.93
Harassment*Black			0.70	0.96	0.67	0.57
Harassment*Mixed			0.82	1.20	0.68	0.71
Shaming*Black			1.44	0.83	0.99	0.87
Shaming*Mixed			1.24	0.87	1.37	0.97

Note. PR=prevalence rate; MRE=multi-racial/ethnic. Bold-faced type indicates $p<0.05$. ¹No significant moderation for alcohol and marijuana, so main effects presented. Models adjusted for age, race, internalized homophobia, HIV status, sexual identity, & transactional sex.

6-Month Substance Use Prevalence



Ethnoracial Subgroup Moderation

